WMN

WINKELINRICHTING-MIDDEN-NEDERLAND

Winkelinrichting Midden Nederland B.V.

Kantoor Kauwenhoven 31
6741 PW Lunteren

Telefoon 0318-48 15 89
Fax 0318-48 16 40

Magazijn Meulunterseweg 77
6741 HM Lunteren



Email info@wmn-lunteren.nl
Internet www.wmnlunteren.nl

Postadres Postbus 85
6740 AB Lunteren






Pallet stellingen

Oblique shelving

	Size cm	Item no.	Finish				Number per V
Oblique shelving							
Oblique stand C 50x40 double-sided Made of C section material 50x40 mm. **Note:** Use tie-bar 8 x 4 (2)	T 80 H 220	**20 2404**	①				
	T 80 H 280	**20 2416**	①				
	T 80 H 360	**20 2432**	①				
	T 80 H 400	**20 2440**	①				
 T642/Z0694							
Support rail for oblique stands C 50x40 on both sides. Tubular section 60x50 mm, with screw accessories. **Note:** One support rail per stand (7)	L 200	**20 2560**	①				
 T643/Z0695							
Oblique stand C 50x40 single-sided Made of C section material 50x40 mm. **Note:** Use tie-bar 8 x 4 (9)	T 50 H 220	**20 2304**	①				
	T 50 H 280	**20 2316**	①				
	T 50 H 360	**20 2332**	①				
	T 50 H 400	**20 2340**	①				
 T644/Z0696							

Oblique shelving





	Size cm	Item no.	Finish	Number per V
Support rail for oblique stands C 50x40 on one side. Tubular section 60x50 mm, with screw accessories. **Note:** One support rail per stand ⑬	L 110	**20 2550**	①	
 T645/Z0697				
Front adapter frame for oblique shelving system C 50x40 ①	L 133 T 67[1)] L 200 T 67[1)] L 266 T 67[1)]	**20 2608** **20 2610** **20 2614**	① ① ①	
 T646/Z0698				
Front adapter stanchion for oblique shelving C 50x40. **Note:** Use tie-bar 14 x 4 at the top ⑧	T 67 H 110	**20 2656**	①	
 T647/Z0699				
Depth connector for front adapter stanchion. for oblique shelving C 50x40. Adm. load per depth connector = 500 kg ⑫	T 67	**20 3650**	②	
 T648/Z0644				

[1)] Clear opening = 60 cm

Oblique shelving

	Size cm	Item no.	Finish	Number per V
Oblique stand C 70x80, double-sided Made of C section material 70x80 mm with foot plates. **Note:** Use tie-bar 12 x 4 20	T 80 H 220 T 80 H 280 T 90 H 360 T 90 H 400	**20 2104** **20 2116** **20 2132** **20 2140**	① ① ① ①	
T649/Z0700				
Oblique stand C 70x80, single-sided Made of C section material 70x80 mm with foot plates. **Note:** Use tie-bar 12 x 4 25	T 50 H 220 T 50 H 280 T 70 H 360 T 70 H 400	**20 2004** **20 2016** **20 2032** **20 2040**	① ① ① ①	
T724/Z0701				
Front adapter stanchion for oblique shelving C 70x80. **Note:** Use tie-bar 14 x 4 at the top 27	T 63 H 90 T 63 H 100 T 63 H 110 T 63 H 120 T 85 H 90 T 85 H 100 T 85 H 110 T 85 H 120	**20 2500** **20 2502** **20 2504** **20 2506** **20 2520** **20 2522** **20 2524** **20 2526**	① ① ① ① ① ① ① ①	
T650/Z0980				





Oblique shelving

	Size cm	Item no.	Finish	Number per V
Depth connector for system **C/CG/CI 70x80 and C 100x55** Adm. load per depth connector = 500 kg, valid up to depth 115 cm 28	T 63 T 85	20 3600 20 3310	② ②	
 T596/Z0644				
End divider for oblique shelving **C 50x40** Tubular section 60x30 mm, not suitable for vertical loads 4	T 30 T 40 T 50 T 60	20 5280 20 5282 20 5284 20 5286	① ① ① ①	
 T652/Z0704				
End divider for oblique shelving **C 70x80** Not suitable for vertical loads 21	T 30[1)] T 40[1)] T 50[1)] T 60[1)] T 70[1)] T 80[1)] T 90[1)] T 100[1)] T 30[2)] T 40[2)] T 50[2)] T 60[2)] T 70[2)] T 80[2)] T 90[2)] T 100[2)]	20 5420 20 5422 20 5424 20 5426 20 5428 20 5430 20 5432 20 5434 20 5440 20 5442 20 5444 20 5446 20 5448 20 5450 20 5452 20 5454	① ① ① ① ① ① ① ① ① ① ① ① ① ① ① ①	
 T653/Z0705				
Divider light-weight Tubular section 30x30 mm for suspension in tie-bar 8 x 4, with screw accessories. Not suitable for vertical loading 22 6	T 30 T 40 T 50 T 60	20 5300 20 5302 20 5304 20 5306	② ② ② ②	
 T654/Z0706				

[1)] Tubular profile 50x30 mm

[1)] Tubular profile 50x30 mm


Oblique shelving

	Size cm	Item no.	Finish	Number per V
Divider medium-weight Tubular section 50x30 mm for suspension in tie-bar 8 x 4, with screw accessories. Not suitable for vertical loading 22 6	T 30 T 40 T 50 T 60	20 5320 20 5322 20 5324 20 5326	② ② ② ②	
 T655/Z0707				
Divider heavy-weight Tubular section 60x30 mm for suspension in tie-bar 8 x 4, with screw accessories. Not suitable for vertical loading 22 6	T 30 T 40 T 50 T 60	20 5340 20 5342 20 5344 20 5346	② ② ② ②	
 T656/Z0708				
Oblique divider for working boards. To fit in traverses 8 x 4. Fastening elements included	T 60[1] H 150 T 60[2] H 150	20 5550 20 5552	② ②	
  T1015/F2141/Z0959/Z0958				
Perforated traverse for oblique shelving, to be used as rear support bar, tubular section 50x20 mm, with lift-off safeguard. **To fit all special holders for rear perforated support bar from the shopfitting section of this catalogue** 5	L 133 L 200 L 266	20 4356 20 4363 20 4370	② ② ②	
 T657/Z0709				

[1] left [2] right


Oblique shelving

	Size cm	Item no.	Finish	Number per V
Divider fitting for suspension in traverse 8 x 4. Screws included 24 5	T 40 H 83 T 50 H 83 T 60 H 83	**20 5010** **20 5012** **20 5014**	2 2 2	



T658/Z0713/Z0710

	Size cm	Item no.	Finish	Number per V
Divider fitting for price ticket holder. For suspension in traverses 8 x 4. Screws included 24	T 40 H 83 T 50 H 83 T 60 H 83	**20 5030** **20 5032** **20 5034**	2 2 2	




T659/Z0713/Z0712

	Size cm	Item no.	Finish	Number per V
Price ticket holder Size DIN A5	T 15,5 H 21,5	**20 5050**	44	



T732/Z0714


	Size cm	Item no.	Finish	Number per V
Separator for suspension in traverse 8 x 4. Screws included	T 42 ∅ 0,7 T 52 ∅ 1 T 62 ∅ 1	**20 5702** **20 5704** **20 5706**	2 2 2	



T661/Z0715

Oblique shelving


	Size cm	Item no.	Finish	Number per V
Hook-on bracket for suspension in traverse 8 x 4. Screws included	T 40 Ø 1,2 T 50 Ø 1,2	**20 5710** **20 5712**	② ②	



T662/Z0716


Traverse 8 x 6 Profile 80x60 mm, with lifting preventer	L 133 L 200 L 266	**20 3830** **20 3832** **20 3836**	② ② ②	





T1084/F2776/Z0985

Gibbet 8 x 3 for suspension in 2 tie-bars 8 x 6Load capacity:- per cantilever arm 200kg- 4 cantilever arms per shaft L266 **Max. admissible load per pair of tie-bars 8x6 L266 = 700 kg** Article no. 20 3830 (L133) Article no. 20 3832 (L200) Article no. 20 3836 (L266)	T 40 H 100 T 60 H 100	**20 5931** **20 5930**	② ②	



T1086/Z0986