



Winkelinrichting Midden Nederland B.V.

Kantoor Kauwenhoven 31
6741 PW Lunteren

Telefoon 0318-48 15 89

Fax 0318-48 16 40

Magazijn Meulunterseweg 77
6741 HM Lunteren

Email info@wmn-lunteren.nl


Internet www.wmnlunteren.nl

Postadres Postbus 85
6740 AB Lunteren



Pallet stellingen


Pallet stellingen



A


B

C



D

E



F

G



H



G


G

Load values


Standard 4-post 08x05 00 metal system 10 columns x 3

Single-sided oblique shelving, system C 50 x 40


Oblique shelving on both sides, system C 50 x 40




Admissible bay load 3500 kg




Admissible bay load 3500 kg




Admissible bay load 2200 kg



Admissible bay load 2200 kg



Admissible bay load 2200 kg



Admissible bay load 2200 kg

Important memo:




Oblique shelving may only be used in conjunction with adapter brackets or adapter frames.

Number and position of tie-bars to be inserted.

The tie-bars provide longitudinal rigidity to the shelving. The suspension height of the lowest tie-bar determines the kink length of the oblique stand and so exerts an instrumental effect on the longitudinal stability of the entire shelving system.

The specified suspension height of the lowest tie-bars and the number of tie-bars per oblique stand must be observed and adhered to without fail.

Stands

		Size cm	Item no.	Finish			Number per V
Stand for industrial shelving, screwed type							
Screwed stand CG 55x40							
Made of C section material 55x40 mm (including screws) delivered dismantled							
	T 60 ¹⁾	H 220	29 8021	①			
	T 60 ¹⁾	H 260	29 8061	①			
	T 60 ¹⁾	H 300	29 8101	①			
	T 60 ¹⁾	H 340	29 8141	①			
	T 70 ²⁾	H 220	29 8022	①			
	T 70 ²⁾	H 260	29 8062	①			
	T 70 ²⁾	H 300	29 8102	①			
	T 70 ²⁾	H 340	29 8142	①			
	T 80 ³⁾	H 220	29 8023	①			
	T 80 ³⁾	H 260	29 8063	①			
	T 80 ³⁾	H 300	29 8103	①			
	T 80 ³⁾	H 340	29 8143	①			
T1298/Z1336							
Stand screwed CG 55x40 for integration on both sides							
Made of C section material 55x40 mm (including screws) delivered dismantled. To fit screw-on section 80x22,5 mm.							
	T 95 ⁴⁾	H 220	29 8024	①			
	T 95 ⁴⁾	H 260	29 8064	①			
	T 95 ⁴⁾	H 300	29 8104	①			
	T 95 ⁴⁾	H 340	29 8144	①			
	T 115 ¹⁾	H 220	29 8026	①			
	T 115 ¹⁾	H 260	29 8066	①			
	T 115 ¹⁾	H 300	29 8106	①			
	T 115 ¹⁾	H 340	29 8146	①			
	T 135 ²⁾	H 220	29 8027	①			
	T 135 ²⁾	H 260	29 8067	①			
	T 135 ²⁾	H 300	29 8107	①			
	T 135 ²⁾	H 340	29 8147	①			
	T 155 ³⁾	H 220	29 8028	①			
	T 155 ³⁾	H 260	29 8068	①			
	T 155 ³⁾	H 300	29 8108	①			
	T 155 ³⁾	H 340	29 8148	①			
T1299/Z1337							
Screw-on section 80x22,5 mm							
with foot disk. For screwed stand CG 55x40 for integration							
	H 215 ⁴⁾		29 0402	①			
	H 255 ⁵⁾		29 0406	①			
	H 295 ⁶⁾		29 0410	①			
	H 335 ⁷⁾		29 0414	①			
T1300/Z1371/Z1111							

¹⁾ for baseleg T 47

⁴⁾ for baseleg T 37

⁷⁾ suitable for stand height 340 cm

²⁾ for baseleg T 57


⁵⁾ suitable for stand height 260 cm

³⁾ for baseleg T 67

⁶⁾ suitable for stand height 300 cm

Stands

Screw-on section 80x22,5 mm
with foot disk.
For screwed stand CG 55x40,
for integration



T1301/Z1371/Z1111

Fixing parts CG 70x80, begin
for screw-on section 80x22,5 mm. For 1 screw-on section
(contains 5 screws)



T1302/Z1585

Fixing parts C 55x40, continuation
for screw-on section 80x22,5 mm. For 2 screw-on sections
(contains 5 screws)



T1303/Z1586

Size cm

Item no.

Finish

Number per V

H 200¹⁾
H 220²⁾
H 240³⁾

29 0483
29 0485
29 0487

①
①
①

29 0430

37

29 0431

37

¹⁾ suitable for upright height 220 cm


²⁾ suitable for upright height 200 cm

³⁾ suitable for upright height 240 cm

Stands

Screwed stand CG 70x80

Made of C section material 70x80 mm (including screws)
delivered dismantled




T1304/Z1011

Screw-on section 80x22,5 mm

with foot disk.

For screwed stand CG 70x80,
for integration in front

8




T1305/Z1372/Z1092

Screw-on section 80x26,5 mm

with foot disk.

For screwed stand CG 70x80,
for integration in front

8



T1306/Z1372/Z1092

Size cm

Item no.

Finish

Number per V

T 85 ¹⁾	H 220	29 8206	①
T 85 ¹⁾	H 280	29 8226	①
T 85 ¹⁾	H 360	29 8253	①
T 85 ¹⁾	H 440	29 8280	①
T 85 ¹⁾	H 510	29 8303	①
T 105 ¹⁾	H 220	29 8207	①
T 105 ¹⁾	H 280	29 8227	①
T 105 ²⁾	H 360	29 8254	①
T 105 ²⁾	H 440	29 8281	①
T 105 ²⁾	H 510	29 8304	①
T 115 ³⁾	H 220	29 8208	①
T 115 ³⁾	H 280	29 8228	①
T 115 ³⁾	H 360	29 8255	①
T 115 ³⁾	H 440	29 8282	①
T 115 ³⁾	H 510	29 8305	①

H 215 ⁴⁾	29 0422	①
---------------------	---------	---

H 200 ⁵⁾	29 0442	①
H 220 ⁶⁾	29 0444	①
H 240 ⁷⁾	29 0446	①

¹⁾ for baseleg T 67

⁴⁾ suitable for stand height 220 cm

⁷⁾ suitable for upright height 240 cm

²⁾ for baseleg T 87

³⁾ suitable for upright height 220 cm


⁵⁾ for baseleg T 97

⁶⁾ suitable for upright height 200 cm




Stands

Fixing parts CG 70x80, begin
for screw-on section 80x27,5 mm. For 1 screw-on section
(contains 5 screws)



T1307/Z1585

Fixing parts CG 70x80, continuation
for screw-on section 80x27,5 mm. For 2 screw-on sections
(contains 5 screws)



T1308/Z1586

Size cm

Item no.

Finish

Number per V

29 0433

37

29 0434

37