



Winkelinrichting Midden Nederland B.V.

Kantoor Kauwenhoven 31
6741 PW Lunteren

Telefoon 0318-48 15 89

Fax 0318-48 16 40

Magazijn Meulunterseweg 77
6741 HM Lunteren

Email info@wmn-lunteren.nl

Internet www.wmnlunteren.nl

Postadres Postbus 85
6740 AB Lunteren



Pallet stellingen




Depth Connectors and Shelving Elements

Depth connectors

Depth connector

for system CG 55x40 (C 50x40) Adm. load per depth connector = 500 kg, valid up to depth T 115



T709/Z0613

Depth connector recessed

for system, CG 55x40 (C 50x40) for chipboard 19 mm thick. Adm. load per depth connector = 500 kg, valid up to depth T 115 cm



17



T564/Z0612

Depth connector with plug-in piece


for system C 55x40 (C 50x40). Suitable for upright 80x30 mm



T1016/F2161/Z0926

Depth connector recessed with plug-in piece

for system C 55x40 (C 50x40). Suitable for upright 80x30 mm. Recessed for chipboard 19 mm



T1017/F2161/Z0960

Depth connector

for system C/CG/CI 70x80 and C 100x55 Adm. load per depth connector = 500 kg, valid up to depth 115 cm

28



T596/Z0644

Size cm

Item no.

Finish

Number per V

T 60
T 70
T 80
T 95
T 115
T 135
T 155

20 7102
20 7104
20 7106
20 7110
20 7112
20 7114
20 7116

②
②
②
②
②
②
②

T 60
T 70
T 80
T 95
T 115
T 135
T 155

20 7122
20 7124
20 7126
20 7130
20 7132
20 7134
20 7136

②
②
②
②
②
②
②

T 115
T 135
T 155

29 7700
29 7702
29 7704

②
②
②

T 115
T 135
T 155

29 7706
29 7708
29 7709

②
②
②

T 85
T 105
T 115

20 3310
20 3314
20 3316

②
②
②





Depth Connectors and Shelving Elements

Depth connector recessed

for chipboard 22 mm thick, for systems **C/CG/CI 70x80** and **(C 100x55)**.

Adm. load per depth connector = 500 kg, valid up to depth 115 cm




T597/Z0645

Shelving elements

Shelving elements ARP

for system **CG55x40, (C50x40)** Sheet steel, for insertion in tie-bar ARP. (To fit tie-bar ARP 6x4, 8x4, 10x4, 12x4)

51 = sendzimir galvaniz




T1372/Z1786

Shelving elements ARP

for system **C/CG/CI70x80, (C100x55)** Sheet steel, for insertion in tie-bar ARP. (To fit tie-bar ARP 6x4, 8x4, 10x4, 12x4)

51 = sendzimir galvaniz



T1373/Z1787

Size cm	Item no.	Finish			Number per V
T 85	20 3330	②			
T 105	20 3334	②			
T 115	20 3336	②			
T 53 ¹⁾	B 18,7	20 7000	②		
T 63 ²⁾	B 18,7	20 7001	②		
T 73 ³⁾	B 18,7	20 7002	②		
T 90 ⁴⁾	B 18,7	20 7003	②		
T 110 ⁵⁾	B 18,7	20 7004	②		
T 130 ⁶⁾	B 18,7	20 7005	②		
T 150 ⁷⁾	B 18,7	20 7006	②		
T 53 ¹⁾	B 22,6	20 7010	②		
T 63 ²⁾	B 22,6	20 7011	②		
T 73 ³⁾	B 22,6	20 7012	②		
T 90 ⁴⁾	B 22,6	20 7013	②		
T 110 ⁵⁾	B 22,6	20 7014	②		
T 130 ⁶⁾	B 22,6	20 7015	②		
T 150 ⁷⁾	B 22,6	20 7016	②		
T 53 ¹⁾	B 18,7	20 7000	51		
T 63 ²⁾	B 18,7	20 7001	51		
T 73 ³⁾	B 18,7	20 7002	51		
T 90 ⁴⁾	B 18,7	20 7003	51		
T 110 ⁵⁾	B 18,7	20 7462	51		
T 130 ⁶⁾	B 18,7	20 7005	51		
T 150 ⁷⁾	B 18,7	20 7006	51		
T 53 ¹⁾	B 22,6	20 7010	51		
T 63 ²⁾	B 22,6	20 7011	51		
T 73 ³⁾	B 22,6	20 7012	51		
T 90 ⁴⁾	B 22,6	20 7013	51		
T 110 ⁵⁾	B 22,6	20 7014	51		
T 130 ⁶⁾	B 22,6	20 7015	51		
T 150 ⁷⁾	B 22,6	20 7016	51		
T 82 ¹⁾	B 18,7	20 7020	②		
T 102 ⁸⁾	B 18,7	20 7021	②		
T 112 ⁹⁾	B 22,6	20 7022	②		
T 82 ¹⁾	B 22,6	20 7025	②		
T 102 ⁸⁾	B 22,6	20 7026	②		
T 112 ⁹⁾	B 22,6	20 7027	②		
T 82 ¹⁾	B 18,7	20 7020	51		
T 102 ⁸⁾	B 18,7	20 7021	51		
T 112 ⁹⁾	B 22,6	20 7022	51		
T 82 ¹⁾	B 22,6	20 7025	51		
T 102 ⁸⁾	B 22,6	20 7026	51		
T 112 ⁹⁾	B 22,6	20 7027	51		

¹⁾ T 53 for stand depth 60

⁴⁾ T 90 for stand depth 95

⁷⁾ T 150 for stand depth 155

²⁾ T 63 for stand depth 70

⁵⁾ T 110 for stand depth 115

⁸⁾ T 102 for stand depth 105

³⁾ T 73 for stand depth 80

⁶⁾ T 130 for stand depth 135

⁹⁾ T 112 for stand depth 115




Depth Connectors and Shelving Elements

Anti-incendiary shelving element ARP

for system **CG 55x40 (C 50x40)** Steel shelf galvanized, perforated. For insertion in **Tie-bar ARP**.
(To fit tie-bar ARP 6x4, 8x4, 10x4, 12x4)

51 = sendzimir galvanized




T600/Z0648

Anti-incendiary shelving element ARP

for systems **C/CG/CI 70x80 (C 100x55)**.
Steel shelf galvanized, perforated. For insertion in tie-bar ARP.
(To fit tie-bar ARP 6x4, 8x4, 10x4, 12x4)

51 = sendzimir galvanized



T1433/Z0649

Size cm		Item no.	Finish		Number per V
T	B				
T 53 ¹⁾	B 18,7	20 7030	51		
T 63 ²⁾	B 18,7	20 7031	51		
T 73 ³⁾	B 18,7	20 7032	51		
T 90 ⁴⁾	B 18,7	20 7033	51		
T 110 ⁵⁾	B 18,7	20 7034	51		
T 130 ⁶⁾	B 18,7	20 7035	51		
T 53 ¹⁾	B 22,6	20 7040	51		
T 63 ²⁾	B 22,6	20 7041	51		
T 73 ³⁾	B 22,6	20 7042	51		
T 90 ⁴⁾	B 22,6	20 7043	51		
T 110 ⁵⁾	B 22,6	20 7044	51		
T 130 ⁶⁾	B 22,6	20 7045	51		
T 82 ⁷⁾	B 18,7	20 7050	51		
T 102 ⁸⁾	B 18,7	20 7051	51		
T 112 ⁹⁾	B 18,7	20 7052	51		
T 82 ⁷⁾	B 22,6	20 7055	51		
T 102 ⁸⁾	B 22,6	20 7056	51		
T 112 ⁹⁾	B 22,6	20 7057	51		

¹⁾ T 48 for stand depth T 60

⁴⁾ T 84 for stand depth T 95

⁷⁾ T 77 for stand depth T 85

²⁾ T 58 for stand depth T 70

⁵⁾ T 104 for stand depth T 115

⁸⁾ T 97 for stand depth T 105

³⁾ T 68 for stand depth T 80

⁶⁾ T 124 for stand depth T 135

⁹⁾ T 107 for stand depth T 115

