



Winkelinrichting Midden Nederland B.V.

Kantoor Kauwenhoven 31
6741 PW Lunteren

Telefoon 0318-48 15 89

Fax 0318-48 16 40

Magazijn Meulunterseweg 77
6741 HM Lunteren

Email info@wmn-lunteren.nl



Internet www.wmnlunteren.nl

Postadres Postbus 85
6740 AB Lunteren



Winkel stellingen


Baselegs and Brackets

Baselegs		Size cm	Item no.	Finish	Number per V
Baseleg light-weight H 8 height adjustable with two foot disks. (Suitable for base shelf support)		T 30 H 8 T 37 H 8 T 47 H 8	120481 120482 120484	① ① ①	4 4 4
 T42/Z0055					
Base shelf support suitable for baseleg light-weight H 8 and H 23		T 30 T 37 T 47	120102 120104 120106	① ① ①	
 T44/Z0057					
Baseleg H 8 textile Ideally suited for sales stands, boutiques etc. Without punched holes for shelf support. With 2 foot plates, height adjustable		T 30 H 8 T 37 H 8 T 47 H 8	120490 120491 120492	① ① ①	
 T1356/Z1516					
Baseleg H 16 AS Low version with 2 foot plates, height adjustable. For use with crash bar and plinth		T 37 H 16 T 47 H 16 T 57 H 16 T 67 H 16 T 77 H 16	122402 122404 122406 122408 122410	① ① ① ① ①	4 4 4 4 4
 T45/Z0058					

Baselegs and Brackets

Baseleg H 26

high version, for use with crash bar and plinth. Height adjustable with two foot disks



T46/Z0059

Size cm

Item no.

Finish

Number per V

T 37	H 26	12 0302	①			5
T 47	H 26	12 0304	①			5
T 57	H 26	12 0306	①			5
T 67	H 26	12 0308	①			5
T 77	H 26	12 0310	①			5

Plinthes

Plinth

For shelves and gondolas. Sheet steel, bottom with rubber profile




T47/Z0869/Z0060

L 66,5	H 16	12 0940	①			10
L 100	H 16	12 0942	①			10
L 125	H 16	12 0944	①			10
L 133	H 16	12 0946	①			10
L 66,5	H 26	12 0832	①			10
L 100	H 26	12 0834	①			10
L 125	H 26	12 0836	①			10
L 133	H 26	12 0838	①			10

Plinth for salient shelf

Sheet steel. Bottom edge with rubber profile



T929/Z0869/Z0830

L 100	H 16	12 2264	①			1
L 125	H 16	12 2266	①			1

Plinth, internal corner round 45°

Sheet steel, bottom with rubber profile



T49/Z0869/Z0062


T 37 ¹⁾	H 16	12 4752	①			1
T 47 ²⁾	H 16	12 4753	①			1
T 57 ³⁾	H 16	12 4754	①			1
T 67 ⁴⁾	H 16	12 4755	①			1
T 37 ¹⁾	H 26	12 1981	①			1
T 47 ²⁾	H 26	12 1982	①			1
T 57 ³⁾	H 26	12 1983	①			1
T 67 ⁴⁾	H 26	12 1984	①			1

¹⁾ for T 37²⁾ for T 47³⁾ for T 57⁴⁾ for T 67

Baselegs and Brackets

Plinth, internal corner 90°

Sheet steel, bottom with rubber profile



T50/Z0869/Z0063

Plinth, external corner 90°

Sheet steel, bottom with rubber profile



T51/Z0869/Z0064

Plinth, internal corner 45°

Sheet steel, bottom with rubber profile



T52/Z0869/Z0065

Plinth, external corner 45°


Sheet steel, bottom with rubber profile. In gondolas with upright 80x30 mm only.



T53/Z0869/Z0066

Plinth end

Sheet steel, bottom with rubber profile



T54/Z0869/Z0067

Size cm

Item no.

Finish

Number per V

H 16¹⁾
H 16²⁾
H 16³⁾
H 26¹⁾
H 26²⁾
H 26³⁾

12 4760
12 4761
12 4762
12 1883
12 1884
12 1885

①
①
①
①
①
①

H 16¹⁾
H 16²⁾
H 16³⁾
H 26¹⁾
H 26²⁾
H 26³⁾

12 4756
12 4757
12 4758
12 1770
12 1771
12 1772

①
①
①
①
①
①

H 16¹⁾
H 16²⁾
H 16³⁾
H 26¹⁾
H 26²⁾
H 26³⁾

12 2332
12 2334
12 2336
12 2372
12 2374
12 2376

①
①
①
①
①
①

H 16¹⁾
H 16²⁾
H 16³⁾
H 26¹⁾
H 26²⁾
H 26³⁾

12 2292
12 2294
12 2296
12 2352
12 2354
12 2356

①
①
①
①
①
①

H 26¹⁾
H 26²⁾
H 26³⁾
H 26⁴⁾
H 26⁵⁾

12 1794
12 1795
12 1796
12 1797
12 1798

①
①
①
①
①

6
6
6
6
6
6

¹⁾ for T 37
⁴⁾ for T 67

²⁾ for T 47
³⁾ for T 77


⁵⁾ for T 57

Baselegs and Brackets

Accessories for baselegs

Crash bar

Tubular section 60x20 mm, plastic covered, complete. For baselegs H 16 and H 26




T55/Z0068

L 66,5	12 1988	02			2
L 100	12 1989	02			2
L 125	12 1990	02			2
L 133	12 1991	02			2

Crash bar

for salient shelf

Tubular section 60x20 mm, plastic covered, complete




T930/Z0829

L 100	12 0694	02			1
L 125	12 0696	02			1

Base draw unit H 10

Sheet steel, with roller guides, for baselegs H 16. Maximum loading capacity 120 kg




T56/Z0069

L 66,5	T 37	12 2042	①		
L 100	T 37	12 2044	①		
L 125	T 37	12 2046	①		
L 133	T 37	12 2048	①		
L 66,5	T 47	12 2032	①		
L 100	T 47	12 2034	①		
L 125	T 47	12 2036	①		
L 133	T 47	12 2038	①		

Base draw unit H 18

Sheet steel, with roller guides, for baselegs H 26. Maximum loading capacity 120 kg




T57/Z0070

L 66,5	T 37	12 2002	①		
L 100	T 37	12 2004	①		
L 125	T 37	12 2006	①		
L 133	T 37	12 2008	①		
L 66,5	T 47	12 2022	①		
L 100	T 47	12 1827	①		
L 125	T 47	12 2026	①		
L 133	T 47	12 2028	①		

Support angles for baselegs

for use with wooden shelves on baselegs H 16 and H 26

Pair



T58/Z0072/Z0071

T 1)	12 4464	②			10 P
T 2)	12 4465	②			10 P
T 3)	12 4466	②			10 P

1) for T 37

2) for T 47

3) for T 57

Baselegs and Brackets

Shelf brackets

Shelf brackets 2 H

Pair

Sheet steel, with 2 hooks. For left and right side. Inclinal (20°, 35°) downwards in uprights and wall-mount uprights




T60/Z0075/Z0074

Shelf brackets 2 H

Pair

Sheet steel, with 2 hooks. For left and right side. Inclinal: two positions down (20°, 35°) in uprights 80x30 and 110x30 mm, one position down (20°) in uprights 30x30, 50x30 and 60x30 mm and in wall-mount uprights




T61/Z0075/Z0074

Shelf brackets 2 H

Pair

Sheet steel, with 2 hooks. For left and right side. inclinable (20°) downwards in uprights 60x30, 80x30 and 110x30 mm



T62/Z0079/Z0078

Shelf brackets 2 H inclinable up

Pair

Sheet steel, with 2 hooks. For left and right side. inclinable (15°) upwards



T63/Z0081/Z0080

Size cm

Item no.

Finish

Number per V


T 20	12 1210	②			5 P
T 25	12 1212	②			5 P
T 30	12 1214	②			5 P
T 37	12 1603	②			5 P
T 47	12 1604	②			5 P
T 20	12 1300	②			5 P
T 25	12 1302	②			5 P
T 30	12 1304	②			5 P
T 37	12 1306	②			5 P
T 47	12 1308	②			5 P

Baselegs and Brackets

Shelf brackets 3 H

Pair

Sheet steel, with 3 hooks. For left and right side. Inclinal (10°, 20°) in uprights 60x30, 80x30 and 110x30 mm




T64/Z0083/Z0082

Brackets 3 H extra heavy duty

Pair

Sheet steel, heavy duty version **no slope settings**, to fit uprights 60x30, 80x30 and 110x30 mm



T65/Z1860/Z0084

Brackets 4 H extra heavy duty

Pair

Sheet steel, heavy duty version **no slope settings**, to fit uprights 60x30, 80x30, 110x30 mm. With 4 insert hooks




T1010/F2170/Z1860/Z0948

Brackets 3 H heavy duty

Pair

Sheet steel, heavy duty version to fit uprights 60x30, 80x30 and 110x30 mm, **inclined upwards** (15°) Specified loads apply to brackets only



T66/Z1424/Z0085

Size cm

Item no.

Finish

Number per V

T 47
T 57

12 1605
12 1606

②
②

5 P
5 P

T 37¹⁾
T 47¹⁾
T 57¹⁾
T 67¹⁾

12 8009
12 8022
12 8023
12 1634

②
②
②
②

5 P
5 P
5 P
5 P

T 47
T 57
T 67
T 77

12 1144
12 1146
12 1148
12 8024

②
②
②
②

T 37²⁾
T 47³⁾
T 57⁴⁾

12 1180
12 1182
12 1184

②
②
②


5 P
5 P
5 P

¹⁾ with 3 hooks
⁴⁾ 280 kg per pair

²⁾ 280 kg per pair³⁾ 230 kg per pair

Baselegs and Brackets

Brackets 3 H heavy duty Pair
Sheet steel, heavy duty version to fit uprights 60x30, 80x30 and 110x30 mm, inclined downwards (15°)




T888/F1304/Z1862/Z0792

Shelf brackets for TV-shelf Pair
Sheet steel, left and right.(T57 with 3 insert hooks) Specified loads apply to brackets only




T67/Z1860/Z0086

Angular shelf brackets for showcases Pair
Sheet steel, left and right, with wood screws Load capacity:120 kg/per pair



T68/Z1860/Z0087

Angular shelf brackets for wooden and glass shelves Pair
Sheet steel, left and right, 2 slope settings (20/35°) downwards in wall uprights and uprights Load capacity:100 kg/per pair



T69/Z0089/Z0088

¹⁾ 150 kg per pair²⁾ 120 kg per pair³⁾ 100 kg per pair

Baselegs and Brackets

Brackets for wooden shelves **Pair**
Sheet steel, with 2 insert hooks, left and right. 1 slope setting in
uprights 60x30, 80x30 and 110x30 mm (20°) 90 kg/per pair



T74/Z0096/Z0095

Size cm

Item no.

Finish

Number per V

T 27	12 2087	②			
T 37	12 2088	②			
T 47	12 2089	②			

Accessories for shelf brackets

Screw accessories for angular shelf brackets **100 pieces**
Zink-plated screws 3.5 x 16 mm in a bag



T70/Z1512/Z0090

12 1556	37				
---------	----	--	--	--	--

Glass supports for angular shelf brackets **100 pieces**
PVC plugs, in a bag



T71/Z1513/Z0091

12 1554	44				
---------	----	--	--	--	--

Connection bar
for angular bracket for glass shelf, with fixtures




T72/Z0092

L 66,5	12 2141	②			10
L 100	12 2143	②			10
L 125	12 2144	②			10
L 133	12 2149	②			10

Supporting brackets

Rear support bar for glass shelf
Sheet steel, for glass shelf up to T 37 cm glass thickness 8 - 10
mm




T75/Z0098/Z0097

L 66,5	T 10	12 1542	②		2
L 100	T 10	12 1544	②		2
L 125	T 10	12 1546	②		2
L 66,5	T 10	12 1542	38		2
L 100	T 10	12 1544	38		2
L 125	T 10	12 1546	38		2

Baselegs and Brackets

Support frame for glass shelf

Sheet steel, with plastic plugs for glass shelves up to T 47 cm, to fit Tegometall standard lamp glass thickness 8 - 10 mm thick



T76/Z0100/Z0099

Central shelf brackets for "Shop"

Pair

Sheet steel, for central shelf in wood and glass and showcases, fits in H holes




T77/Z0101

Central shelf brackets for metal shelf

Pair

Sheet steel left and right, for centre shop, 2 slope settings, to fit H holes



T78/Z0103/Z0102

Size cm

Item no.

Finish

Number per V

L 66,5 T 22
L 100 T 22
L 125 T 22
L 66,5 T 22
L 100 T 22
L 125 T 22

12 1532
12 1534
12 1536
12 1532
12 1534
12 1536

②
②
②
38
38
38

2
2
2
2
2
2

T 20
T 30
T 40

12 1640
12 1641
12 1642

②
②
②

5P
5P
5P

T 37

12 3236

②

5P